



Materials for Ground Platform Survivability



TECHNOLOGY DRIVEN. WARFIGHTER FOCUSED.

**Dr. Douglas Templeton
Senior Technical Expert
Ground System Survivability
US Army TARDEC
Warren, MI 48397-5000**

17 May 2011

Report Documentation Page

Form Approved
OMB No. 0704-0188


Public reporting burden for the collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Washington Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington VA 22202-4302. Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to a penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number.

1. REPORT DATE 17 MAY 2011		2. REPORT TYPE N/A		3. DATES COVERED -	
4. TITLE AND SUBTITLE Materials for Ground Platform Survivability				5a. CONTRACT NUMBER	
				5b. GRANT NUMBER	
				5c. PROGRAM ELEMENT NUMBER	
6. AUTHOR(S) Dr. Douglas Templeton				5d. PROJECT NUMBER	
				5e. TASK NUMBER	
				5f. WORK UNIT NUMBER	
7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES) US Army RDECOM-TARDEC 6501 E 11 Mile Rd Warren, MI 48397-5000, USA				8. PERFORMING ORGANIZATION REPORT NUMBER	
9. SPONSORING/MONITORING AGENCY NAME(S) AND ADDRESS(ES) US Army RDECOM-TARDEC 6501 E 11 Mile Rd Warren, MI 48397-5000, USA				10. SPONSOR/MONITOR'S ACRONYM(S) TACOM/TARDEC/RDECOM	
				11. SPONSOR/MONITOR'S REPORT NUMBER(S)	
12. DISTRIBUTION/AVAILABILITY STATEMENT Approved for public release, distribution unlimited					
13. SUPPLEMENTARY NOTES The original document contains color images.					
14. ABSTRACT					
15. SUBJECT TERMS					
16. SECURITY CLASSIFICATION OF:			17. LIMITATION OF ABSTRACT SAR	18. NUMBER OF PAGES 19	19a. NAME OF RESPONSIBLE PERSON
a. REPORT unclassified	b. ABSTRACT unclassified	c. THIS PAGE unclassified			

- **Motivation**
- **Threats**
- **Types of Armor**
- **Armor Materials**
- **Armor Material Research**
- **Armor Standards**
- **Areas of Opportunity**
- **Conclusion / Questions**

DRIVERS

- Lightweight/Mobile
- Threat Designable/Repairability
- Armor: Multifunctional
Ballistic/Structural/Stealth



Why Armor?




Attributes, Capability Gaps, Required Capabilities



Attributes	Capability Gaps	Required Capabilities
Protection	<ul style="list-style-type: none"> • Detect and neutralize mines and IEDs at standoff • Armored and light vehicle protection against kinetic, chemical, and tandem blast warheads • Occupant protection against IEDs and mines 	<ul style="list-style-type: none"> • Provide occupant protection against IEDs, mines, CBRN, small arms, ATGM, RPGs, artillery, mortar, and direct fire • Prevent/Detect/Avoid engagements of platform from rapidly adapting threats and prevention from fratricide
Network	<ul style="list-style-type: none"> • Non-interrupted communications for dispersed units • Mounted and dismounted communications and situational awareness for dispersed units • Communications and surveillance at all echelons 	<ul style="list-style-type: none"> • Provides Mission Command functions while moving • Open architecture to facilitate the integration of current and future communications, computers, and sensors • Interoperability with current and future communications systems, Army and JIIM systems • Control unmanned air and ground systems
Mobility	<ul style="list-style-type: none"> • Maneuver for positional advantage across range of terrain • Non-maneuver element mobility and survivability 	<ul style="list-style-type: none"> • Manpower, maneuverability, firepower, and protection necessary to close with the enemy • Carry the required crew, squad, and payload for mission • Provide assured mobility (cross country, urban, and operational maneuver) across the full range of terrain • Negotiate urban obstacles and control points • Provide stability and appropriate center of gravity to prevent rollovers
Lethality	<ul style="list-style-type: none"> • Direct fire overmatch against high threat targets • Non-lethal weapons to achieve effects while limiting casualties and collateral damage • Organic precision indirect fires, especially in support of dispersed units 	<ul style="list-style-type: none"> • Organic weapons for overmatch like enemy direct fire threats • Fight in all weather conditions, day and night, in complex terrain, including battlefield obscurants; identify hostile, friendly, or neutral people, allowing the crew to apply precise, lethal or non-lethal effects




- 2 Main Categories
 - Kinetic Energy
 - Bullets
 - 5.56mm, 7.62mm, 12.5mm, 14.5 mm and larger
 - Chemical Energy
 - Shaped Charged Jet
 - Rocket Propelled Grenade (RPG)
 - Explosively Formed Penetrator (EFP)
 - Improvised Explosive Device (IED)
 - Mines



- **Optimal use of mechanics and materials**
 - Understand/use mechanics to obtain desired effect
 - Use materials that will amplify the performance of the mechanics
 - Demand “ultimate” performance from materials

Numerical simulations are an integral portion of any armor program, providing understanding and direction



Types of Armor

- All Armor Has One Purpose:
Protect the Soldier!!!
- Soldier Body Armor
 - Vest
 - Helmet
 - SAPI Plate (Small Arms Protective Insert)
 - ESAPI Plate (Enhanced SAPI)
- Vehicle Armor
 - Opaque
 - Exterior Armor
 - Spall Liner
 - Hatches / Openings
 - Transparent
 - Armored Sensors
 - Windows



TECHNOLOGY DRIVEN. WARFIGHTER FOCUSED.

- Metal's:

- Steel

- Armor Plate, Steel, Wrought, Homogeneous (for Use in Combat-Vehicles and for Ammunition Testing) (MIL-DTL-12560)
 - Armor Plate, Steel, Wrought, Ultra-High-Hardness (MIL-DTL-32332)
 - Armor Plate, Steel, Wrought, High-Strength, High-Quality (MIL-A-46186)
 - Perforated Homogeneous Steel Armor (MIL-PRF-32269)

- Aluminum

- Armor Plate, Aluminum Alloy, Unweldable Applique 6061 (MIL-DTL-32262)
 - Armor Plate, Aluminum Alloy, Weldable 5083, 5456, and 5059 (MIL-DTL-46027)

- Titanium


- Armor Plate, Titanium Alloy, Weldable (MIL-DTL-46077)

M88A2



- Glass

- Soda-lime
 - Ex. Starphire
- Borosilicate
 - Ex. Borofloat
- Glass Ceramic



- Fibers

- Glass
 - Ex. S-2 Glass
- Carbon
- Para-Aramid Synthetics
 - Ex. Kevlar
- Ultra-high-molecular-weight polyethylene
 - Ex. Dyneema / Spectra Shield



- Magnesium
 - Armor Plate, Magnesium Alloy, AZ31B, Applique (MIL-DTL-32333)

- **Ceramics:**

- Alumina
- Silicon Carbide
- Boron Carbide
- Tungsten Carbide




- **Transparent Ceramics**



- Spinel
- Sapphire

- **Transparent Polymers**

- Poly(methyl methacrylate) (PMMA)
 - Ex. Plexiglass
- Polycarbonate
 - Ex. Lexan



- Lightweight and High Ballistic Performance
 - Armors using multiple materials
 - Metal laminate
 - Metal combined with ceramic
 - Glass combined with plastic
 - Composite Armor
 - Metal encapsulated ceramic
 - Metal matrix composite
 - Composite laminates
 - 3D woven fiber
- Material Characterization for M&S Support
 - High strain rate testing
 - Hopkinson bar tensile test
 - Hopkinson bar compression test
 - Notional Armor Design Evaluation



Importance of Basic & Applied Research

Basic Research

Brittle Materials:

- Material properties
- Processing/synthesis
- Ceramic optimization
- Failure mechanisms
- Failure morphology
- Dynamic behavior modeling
- Laboratory characterization techniques
- Determination of properties relevant to ballistic impact

Mechanics of Composites

- Finite element codes
- Strength of materials
- Analysis of thick composites
- Micro scale model

Penetration Mechanics:

- Constitutive material models
- Hi-strain rate propagation
- Metallurgy
- Hydrocode development

Applied Research

Armor Mechanics:

- -Defeat Mechanism
- Encapsulation Techniques
- Ceramic Optimization
- Multi-hit
- Structural Response
- Ballistic Shock
- Modeling
- Trends analyses
- Armor optimization
- Initial trades studies/analyses

Structural Design Tech:

- Design trades
- LW structural Response

Adv Development

Armor module dev/fab

- Robustness
- Manufacturability
- Attachment design
- Shock transmission
- Affordability
- RAM

Structure



- Load optimization
- Attachment design
- Shock/vibration
- Damage tolerance
- Affordability
- RAM

Trades analyses

- Performance
- Weight
- Cost

Eng Development

Platform integration, producibility, and performance testing



IOC


INITIATION

*Basic research **critical** to success, and must be a **CONTINUING** activity*

TECHNOLOGY DRIVEN. WARFIGHTER FOCUSED.

Ballistic Survivability Modeling

Provides engineering-level & physics-based models to Support technology downselects, design optimization, & evaluation



- ***Material defect detection***
- ***Product assurance of armor package***
 - Experimental techniques to measure
 - Detect damage that matters
- ***Field assessment of armor package integrity***
 - Experimental techniques to measure
 - Detect damage that matters

- **Army MIL-STD-662F - V₅₀ Ballistic Test for Armor**
 - Purpose. The purpose of this standard is to provide general guidelines for procedures, equipment, physical conditions, and terminology for determining the ballistic resistance of metallic, nonmetallic and composite armor against small arms projectiles. The ballistic test procedure described in this standard determines the V50 ballistic limit of armor.
 - Small arms ammunition. All ammunition up to and including 20 millimeters (0.787 inches). A round of ammunition includes a ballistic projectile, propellant charge, charge igniter (primer), and a charge case.
- **NIJ Standard-0101.06 - BALLISTIC RESISTANCE OF BODYARMOR**
- **STANAG 2920 Ed2 - STANAG 2920 PPS (EDITION 2) – BALLISTIC TEST METHOD FOR PERSONAL ARMOUR MATERIALS AND COMBAT CLOTHING**
- **ATPD 2352 - transparent armor**

- **Reducing Areal Density (psf)**
- **Joining of dissimilar materials**
 - Delamination
 - Galvanic Corrosion
- **Openings**
 - Hatches
 - Doors
 - Windows
- **Interfaces**
 - Panel to panel
 - Panel to structure
- **Attachment to Structures**
 - Removal / Installation
 - Repair Procedures
- **Environmental Concerns**
 - Fire, Smoke and Toxicity
 - Ultra Violet Resistance
 - Oxidation
 - Contamination by Fluids
 - Extreme Temperatures



TECHNOLOGY DRIVEN. WARFIGHTER FOCUSED.

- **Significant challenges remain in areas of material development**
- **Need to look at not just basic materials but structural approaches**
- **Modeling and simulation is a critical enabler**

- Armor has traditionally used common materials, but is always searching for new and better solutions that meet the demands vehicles place on an armor package.

QUESTIONS?